
# Perico AS

# **Authentication USB Key Product Brochure**



# **Perico AS**

Lilleakerveien 31B, N-0283 OSLO, Norway

Phone: +47 2206 4050 Fax: +47 22064051

E-mail: info@perico.no



#### 

breefresbreichte der dieser einer dem den drei der dieser dieser

## ?What is ePass

A sort of PKI based dual-factor authentication security devices, either with USB interface for PC host connection or with ISO7816 interface to communicate via Smart Card reader or ISO7816-12 USB Smart Card connector, providing strong authentication and identification, for networking logon, secure online transaction, digital data signature, sensitive data protection, and more.

The ePass family offers full-range-solution from cost-effective secure chip device to latest 32-bit high performance smart card chip device. The industrial innovative biometric USB key, user-interactive USB key with audio function or display function, USB Flash - PKI Combo, PKI - OTP Combo USB key are also available.

## 2Where to use

Anywhere in the world there is a strong authentication requirement for information security control, such as enterprise networking access control, VPN remote access, email encryption, sensitive data file exchange protection, single-sign-on, online banking, online shopping... No matter which PC OS you are using, no matter whatever you need, there is one kind of ePass solution right for you.

# ?Why ePass

Being an industrial leader and innovator in the field of information technology security applications and devices, Feitian Technologies, the provider of ePass, offered millions of ePass products to the market, and is currently the number one provider of USB Key devices to Chinese banking sector. With a strong technical team of hundred developers and support engineers, Feitian offers top-ranking ePass products and services to its valuable customers. We understand that customer requirements varies from filed to field, Feitian provides more flexible and fast-response customization services to satisfy different clients.

With the Attic faith of offering customers with high performance products and services at the lowest cost, our customers can always save a lot with ePass.

# Perico AS

Lilleakerveien 31B, N-0283 OSLO, Norway

Phone: +47 2206 4050 Fax: +47 22064051

E-mail: info@perico.no



# content

ePass2000flagship in the ePass USB Key family1
ePass1000money saver the lowest cost USB Key
ePass300032-bit high performance smartcard chip inside
BioPass3000biometric 32-bit smartcard chip inside with fingerprint
InterPasshacker terminator interactive: audio or display and button6
StorePasssecure with storage USB Key with USB Flash onboard
PKI+OTP Combotwo-in-one PKI and OTP applications in one device
PKI Card card fans choice PKI Smartcard with USB interface



















# Perico AS

Lilleakerveien 31B, N-0283 OSLO, Norway Phone: +47 2206 4050 Fax: +47 22064051

E-mail: info@perico.no



securing online transactions for millions of users

# ePass 2000

#### 

فيزام يقديفه بإدران والمرام يقديفه بالمدام بالمدام والمدام والمدام والمدام والمدام والمدام

αιεφιστότοι ότι στο μεταλειτορία το φιστότοι ότι στότιο τότι στότι

## Headline

high performance smart card chip onboard DES 3DES SHA-1 RSA onboard 1024-bit RSA key pair generation onboard digital signature, private key never exports onboard random number generator (RNG) global unique 64-bit hardware id up to 32K bytes secure memory standard USB 1.1/2.0 interfaced driverless or plug-and-play devices available full support of PKI applications PKCS #11 library and CSP ready support standard cryptographic APIs of MS CAPI and PKCS #11 multiple key and certificate storage secure storage of X.509 v3 digital certificates works seamlessly with standard PKI systems full OS solutions for Windows 98SE/Me/2000/XP/Vista Windows Server 2003/Server 2008 Linux and MacOS

( OS compatibility varies with individual models)





# Perico AS

Lilleakerveien 31B, N-0283 OSLO, Norway

Phone: +47 2206 4050 Fax: +47 22064051

E-mail: info@perico.no

# the flagship



ιστοποιοποιοποιοπόλιβησε στοποιοποί

BOND HONOLOGIC POLICE P

# Sample Applications

#### **Internet Banking**

web logon and identification digital signature for online transactions enhanced protection for e-shopping

#### **Enterprise**

network logon and identification
sensitive data access control
VPN remote access control
enhanced protection for secure e-commerce

#### Others

anywhere there is a PKI based authentication system
e-government online services
certificate-based email encryption
digital signature for documents
university stundent identification and access control
and more ...

#### The flagship

there are millions of ePass2000 users worldwide, from banking to governmental sectors, from education organizations to enterprises, and many more wherever there is a PKI authenticaiton system...







7

# Perico AS

Lilleakerveien 31B, N-0283 OSLO, Norway

Phone: +47 2206 4050 Fax: +47 22064051

E-mail: info@perico.no

the lowsest cost security device you may trust

# ePass 1000



## 

and principal de la companda de la c

## Headline

high performance secure MPU
onboard HMAC-MD5 and TEA
onboard random number generator (RNG)
global unique 64-bit hardware id
up to 32K bytes secure memory
standard USB 1.1/2.0 interfaced
secure file system with hardware PIN protection

2-level file directory & 3-level file access control

driverless devices available

full support of PKI applications

PKCS #11 library and CSP ready

support standard cryptographic APIs of MS CAPI and PKCS #11

multiple key and certificate storage

secure storage of X.509 v3 digital certificates works seamlessly with standard PKI systems

RSA(512/1024) DES 3DES SHA-1 MD5 RC2 RC4

Challenge/Response ready

development lib and ActiveX support accessible via ActiveX Control or Java Applet full OS solutions for Windows 98SE/Me/2000/XP/Vista /Server 2003/Server 2008 Linux and MacOS





a money s	Ver you must kn°		
ActiveX Control or Java erver 2003/Server 200 ( OS compatibility varie			
EATURES	MIDDLEWARE		

MODEL	MEMORY FEATURES		MIDDLEWARE	
ePass1000ND-8K	8K	Driverless for Windows98SE and Later	ePassNG Multi-Platform Middleware for MS CSP & PKCS#11 v2.11	
ePass1000ND-32K	32K	Versions Onboard HMAC-MD5 and TEA	Onboard HMAC-MD5 and TEA API Function Pro Challenge/Respo	API Function Provided Challenge/Response 2-Factor Authentication
ePass1000-8K	8K	Standard PC/SC Driver Ready for Windows Smart Card Logon Windows Vista Certified Onboard HMAC-MD5	ePass1000 Middleware for MS CSP & PKCS#11 v2.11	
ePass1000-32K	32K		API Function Provided Challenge/Response 2-Factor Authentication	
ePassND	1.4K	Driverless for Windows98SE and Later Versions Onboard HMAC-MD5 and TEA	API Function Provided for Challenge/Response 2- Factor Authentication	

# Perico AS

Lilleakerveien 31B, N-0283 OSLO, Norway

Phone: +47 2206 4050 Fax: +47 22064051

E-mail: info@perico.no

## the best performance 32-bit smart card inside USB key

# ePass3000

SOMETHIS REQUESTION OF THE RESIDENCE OF THE

#### Headline

32-bit high performance smart card chip onboard RSA DES 3DES SHA-1 RSA onboard 1024-bit/2048-bit RSA key pair generation onboard digital signature, private key never exports onboard random number generator (RNG) global unique 64-bit hardware id up to 64K bytes secure memory standard USB 1.1/2.0 interfaced

driverless or plug-and-play devices available

full support of PKI applications

PKCS #11 library and CSP ready

support standard cryptographic APIs of MS CAPI and PKCS #11

multiple key and certificate storage

secure storage of X.509 v3 digital certificates

works seamlessly with standard PKI systems full OS solutions for Windows 98SE/Me/2000/XP/Vista/

Server 2003/Server 2008 Linux and MacOS (OS compatibility varies with individual models)





## Model

MODEL	MEMORY	MEMORY FEATURES MIDDLE		
ePass3000		Standard PC/SC Driver Ready for Windows Smart Card Logon Windows Vista Certified	ePassNG Multi-Platform — Middleware for MS CSP	
ePass3000ND		Driverless for Windows98SE and Later	& PKCS#11 v2.11	
ePass3003	64К	Versions 64K	EnterSafe Shuttle High — Speed Middleware for	
ePass3003 Auto		Driverless with Auto Run, Plug and Play for Windows 2000 and Later Versions	MS CSP & PKCS#11 v2.2	
ePass3000MD		Standard PC/SC Driver Ready for Windows Smart Card Logon Windows Vista Certified	MS SCM Minidriver Interfaced, Ready for Smart Card Based CSP, Support CNG,CLM and Vista EFS	

# **Perico AS**

Lilleakerveien 31B, N-0283 OSLO, Norway

Phone: +47 2206 4050 Fax: +47 22064051

E-mail: info@perico.no

www.pericosecurity.com www.pericotech.com

4

# pass with a touch of your fingers

# **BioPass**

# 

are remembrancia de la contra con

## Headline

onboard fingerprint sensor for higher security protection live scan fingerprint sensor for swipe more than 1 million times internal fingerprint capture/storage/verification

32-bit smart card chip with Feitian COS (FT-COS)

onboard RSA DES 3DES SHA-1

up to 8 fingerprint templates

onboard 1024-bit/2048-bit RSA key pair generation

onboard digital signature, private key never exports

onboard random number generator (RNG)

global unique 64-bit hardware id

64K bytes secure memory

standard USB 1.1/2.0 interfaced

full support of PKI applications

PKCS #11 library and CSP ready

support standard cryptographic APIs of MS CAPI and PKCS #11

multiple key and certificate storage

secure storage of X.509 v3 digital certificates

works seamlessly with standard PKI systems

full OS solutions for Windows 98SE/Me/2000/XP/Vista

Windows Server 2003/Server 2008 Linux and MacOS (OS compatibility varies with individual models)





#### Biometric enhance the security

one of the most reliable biometric USB Key in the market, equipped with a powerful heart, a 32-bit smart card processor onboard

#### Model

MODEL	MEMORY	FEATURES	MIDDLEWARE
BioPass3000	64K	Onboard Anti-Fraud Fingerprint Sensor Up to 8 Fingerprint Templates Standard PC/SC Driver Ready for Windows Smart Card Logon Windows Vista Certified	EnterSafe Shuttle High Speed Middleware for MS CSP & PKCS#11 v2.2

5

# Perico AS

Lilleakerveien 31B, N-0283 OSLO, Norway

Phone: +47 2206 4050 Fax: +47 22064051

E-mail: info@perico.no

# globally first user-interactive USB key with audio or display

# **InterPass**

τοποτοποποποιοκή Μαλάλο το ποτοκοιοκο

## Headline

audio or display features with confirmation button read or display transaction details

no action until user confirm the transaction by pressing button available for customized audio and display information

high performance smart card chip

8-bit / 32-bit smart card platform

onboard DES 3DES SHA-1 RSA

onboard 1024-bit/2048-bit RSA key pair generation onboard digital signature, private key never exports

onboard random number generator (RNG)

global unique 64-bit hardware id

up to 64K bytes secure memory

standard USB 1.1/2.0 interfaced driverless or plug-and-play devices available

full support of PKI applications

PKCS #11 library and CSP ready

support standard cryptographic APIs of MS CAPI and PKCS #11

multiple key and certificate storage

secure storage of X.509 v3 digital certificates works seamlessly with standard PKI systems

full OS solutions for Windows 98SE/Me/2000/XP/Vista
Windows Server 2003/Server 2008 Linux and MacOS

( OS compatibility varies with individual models)



Your computer may be hacked may NOT

PKCS #11

Only Approve Transactions you confirmed with Interpass

A Hacker Terminator

#### Model

MODEL	MEMORY	FEATURES	MIDDLEWARE
InterPass3000 View	WEWORT	with LCD Display to Show Transaction Details for User Confirmation	
InterPass3000 Voice	64K	with Audio Chip and Speaker to Play Transaction Details for User Confirmation	EnterSafe Shuttle High Speed Middleware for
InterPass3000 Duo		with LCD Display and Audio Chip/Speaker to Show or Play Transaction Details for User Confirmation	<ul> <li>MS CSP &amp; PKCS#11 v2.2</li> <li>Transaction Details for Show or Display Can Be</li> <li>Customized per Request</li> </ul>
InterPass2000 View	32K	with LCD Display to Show Transaction Details for User Confirmation	– Customizea per Request

# Perico AS

Lilleakerveien 31B, N-0283 OSLO, Norway

Phone: +47 2206 4050 Fax: +47 22064051

E-mail: info@perico.no

www.pericosecurity.com www.pericotech.com

6

ePass USB key with USB Flash memory add-on

# StorePass

#### 

andre receptore de la compansión de la com

ibian indicational production de la company de la comp

## Headline

USB Flash Plug and Play (1G to 4G) with high speed USB2.0 interface Auto Run Installation from USB Flash virtual CD-ROM supported and virus free high performance smart card chip onboard DES 3DES SHA-1 RSA

onboard 1024-bit RSA key pair generation onboard digital signature, private key never exports onboard random number generator (RNG) global unique 64-bit hardware id

up to 32K bytes secure memory driverless or plug-and-play devices available

full support of PKI applications

PKCS #11 library and CSP ready

support standard cryptographic APIs of MS CAPI and PKCS #11

multiple key and certificate storage secure storage of X.509 v3 digital certificates

works seamlessly with standard PKI systems

full OS solutions for Windows 98SE/Me/2000/XP/Vista

Windows Server 2003/Server 2008 Linux and MacOS (OS compatibility varies with individual models)





easy to carry digital certificates and sensitive data with this secure USB token integration

#### Model

MODEL	MEMORY		FEATURES	MIDDLEWARE
StorePass2000_FT11	32K Secure Memory  1G to 4G USB Flash	Onboard USB Flash Support Auto Run and Plug & Play for Windows 2000 and Later Versions	Driverless for Windows98SE and Later Versions	ePassNG Multi-Platform Middleware for MS CSP & PKCS#11 v2.11
StorePass2000_FT12			Standard PC/SC Driver Ready for Windows Smart Card Logon Windows Vista Certified	
StorePass2001			Driverless for Windows98SE and Later Versions	EnterSafe Shuttle High Speed Middleware for MS CSP & PKCS#11 v2.2
StorePass2000MD			Standard PC/SC Driver Ready for Windows Smart Card Logon Windows Vista Certified	MS SCM Minidriver Interfaced, Ready for Smart Card Based CSP, Support CNG,CLM and Vista EFS

# Perico AS

Lilleakerveien 31B, N-0283 OSLO, Norway

Phone: +47 2206 4050 Fax: +47 22064051

E-mail: info@perico.no

# PKI+OTP Combo



#### OTP C400 - PKI+OTP Combo USB Key



By combining ePass PKI authentication USB Key and dynamic One-Time-Password (OTP) feature, OTP C400 supports both PKI-based digital signature while working in online mode, and two factor user authentication from offline dynamic one-time-password.

OTP C400 offers the enhanced trusted solution binding the well-established PKI and dynamic OTP, it adheres to the OATH standard algorithms.

Feitian offers stand-alone OTP device under different product catagory, for more information on Feitian OTP, please visit our website for latest updates.

#### Two-in-one

Integrate PKI and OTP applications in one device, avoid switching or seeking among that many keys or tokens.

# Card fans choice

- · 32-bit smart card processor
- 64KB user space
- PKCS #11 and MS CAPI
- ISO 7816 part 1,2,3,4,8,9
- T=0 and T=1
- PC/SC, X.509 v3, SSL v3,
- On-board security algorithm
  - > RSA 2048-bit/1024-bit
  - > DES, 3DES
  - > SHA-1
- Baud rate 9,600 ~ 115,200 bps
- Multi-tier secure access control
- Windows 2000/XP/Server 2003/Server 2008/Vista, Linux, Mac OS

#### **PKI Card**

PKI Card is specially designed for public-key based applications, with it's secure portable storage of keys and sensitive data and excellent performance for RSA cryptographic operations which are quite essential in strong user authentication, secure digital signature and high level data security solutions.

PKI Card provides enhanced support for RSA 2048-bit keys and guarantees all on-board personal credentials will never be exported.

PKI Card supports all Public Key Infrastructure (PKI) applications, also it can be easily integrated with user current infrastructure and secure environment.

PKI Card is the ideal solution for users looking for strong authentication with best security assurance. For more information on Feitian smart card and smart card device, please visit our website for latest updates.





# Perico AS

**Lilleakerveien 31B, N-0283 OSLO, Norway**Phone: +47 2206 4050 Fax: +47 22064051

E-mail: info@perico.no

www.pericosecurity.com www.pericotech.com

8